

imagePROGRAF  
TM-255  
TM-355/TM-355 MFP


---



**Canon**

# TM-255/355

## KEY FEATURES



### AUTOMATIC MEDIA TYPE AND LENGTH DETECTION

Printer quickly detects media type and length for an efficient working process.



### MORE STARTER INK IN THE BOX

Printer comes with 490ml (CMYK 90ml, MBK 130ml) ink tanks in a box and hot swap ink technology helps less down time.



### QUICK PRINT

Print an A1 CAD drawing in as little as 20 seconds (TM-255) and 17 seconds (TM-355)\*

\*Fast print mode on plain paper. Print speed does not include time required for data processing, data transfer and preprinting operations.



### POSTER SOLUTION

All inks are pigment based. Newly developed magenta ink and borderless printing, gives users the ability to create posters easily. Hot swap ink technology means less down time.

## SOFTWARE

### POSTERARTIST WEB

Creating posters, banners and flyers has never been easier. This intuitively creative web-based software boasts auto-generated design templates, access to millions of stock photos, and intuitive editing – all completely free of charge.

### DIRECT PRINT PLUS

The Direct Print Plus software allows you to simply drag and drop to process a large number of prints quickly helping you stream line your workflow for on demand printing. In addition, you can set-up shortcuts folders on your desktop by clicking the Shortcut Print feature with a variety of customised settings, allowing for multiple jobs to be run with ease.

### FREE LAYOUT PLUS

Nest, tile and create custom layouts before printing your files.

# Z SCANNER KEY FEATURES

- Scanning speed up to 13 ips (moochrome) and 6 ips (colour)
- Scan to Copy
- Scan to USB
- Save time by printing and scanning simultaneously
- Scanner and printer works independently allowing for greater productivity
- Optical resolution up to 1200dpi
- Media Thickness up to 1.0mm



## SOFTWARE

### SMARTWORKS SOFTWARE

New enhancements have been made to the SmartWorks Software.

SmartWorks offers:

- An easy-to-use interface with customisable background and presets
- Scan-to-Multipage PDF as a standard feature
- Ability to mark up documents directly on the monitor
- Real-time preview on the large 15.6" touchscreen

# imagePROGRAF TM-255 AND TM-355/TM-355 MFP SPECIFICATIONS

## Print Head

PF-06

## Number of Nozzles

|           |               |
|-----------|---------------|
| MBK:      | 5,120 nozzles |
| BK/C/M/Y: | 2,560 nozzles |

## Droplet Size

Minimum Spl per color

## Ink Type

Pigment: Cyan (C), Magenta (M), Yellow (Y), Black (BK), Matte Black(MBK)

## Ink tank

Shipped with Printer: MBK(130ml), C, M, Y, BK (90ml each)  
Replacement: C, Y, BK, MBK: PFI-120 (130ml), PFI-320 (300ml) Magenta: PFI-121 (130ml), PFI-321 (300ml)

## Printer RAM

2 GB

## Hard Disk

500GB (Encrypted)

## Media Feed

Roll Feed: One Roll, Top-loading, Front Output  
Cut Sheet: Top-loading, Front Output

## Media Width

|             |                                                                          |                                                                                                                  |
|-------------|--------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| Roll Paper: | TM-255                                                                   | TM-355                                                                                                           |
| ISO         | A3, A3+, A2, A2+, A1                                                     | A3, A3+, A2, A2+, A1, A0                                                                                         |
| JIS         | B4, B3, B2                                                               | B4, B3, B2, B1                                                                                                   |
| ARCH        | 12", 18", 24"                                                            | 12", 18", 24", 30", 36"                                                                                          |
| Others      | 8", 10", 14", 15", 16", 17", 20", 22", 300mm, 500mm, 600mm               | 8", 10", 14", 15", 16", 17", 20", 22", 34", 300mm, 500mm, 600mm, 800mm                                           |
| Cut Sheet   |                                                                          |                                                                                                                  |
| ISO         | A4, A3, A3+, A2, A1, B4, B3, B2                                          | A4, A3, A3+, A2, B4, B3, B2, B1                                                                                  |
| DIN         | C4, C3, C2                                                               | C4, C3, C2, C1, C0                                                                                               |
| JIS         | B4, B3                                                                   | B4, B3, B2, B1                                                                                                   |
| ANSI        | 8.5 x 11", 8.5 x 14", 11 x 17", 13 x 19", 17 x 22", 22 x 34"             | 8.5 x 11", 8.5 x 14", 11 x 17", 13 x 19", 17 x 22", 22 x 34", 28 x 40, 34 x 44"                                  |
| ARCH        | 9 x 12", 12 x 18", 18 x 24", 24 x 36" (20 x 24"), (18 x 22"), (14 x 17") | 9 x 12", 12 x 18", 18 x 24", 24 x 36", 26 x 38", 27 x 39", 30 x 42", 36 x 48" (20 x 24"), (18 x 22"), (14 x 17") |
| Photo       | (12 x 16"), (10 x 12"), (10 x 15"), (16 x 20")                           | (12 x 16"), (10 x 12"), (10 x 15"), (16 x 20")                                                                   |
| Poster      | 20 x 30", 300 x 900mm                                                    | 20 x 30", 30 x 40", 300x900mm                                                                                    |
| Others      | 13 x 22"                                                                 | 13 x 22"                                                                                                         |

## Media Cutter

Automatic horizontal cutting (Rotary Cutter)

## Media Thickness

0.07 – 0.8 mm

## Media Core Sizes

2" or 3" Core

## Maximum Roll Outer Diameter

150mm or less

## Printing Software Utilities

Accounting Manager, Canon Print Service, Device Management Console, Direct Print Plus, Free Layout Plus, imagePROGRAF Printer Driver for Windows®/ Mac®, Media Configuration Tool, Canon PRINT Inkjet Selphy, PosterArtist Web/PIXMA Cloud Link

## Operating System

Windows 11, Windows 10, Windows 8.1, Windows 7, Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012 R2, Windows Server 2012, Windows Server 2008 R2, macOS Catalina 10.15.7 – macOS Ventura 13

## Print Language

SGRaster, HP-GP/2, HP RTL, JPEG, CALS G4

## Interface

Hi-Speed USB: Full Speed (12 Mbit/sec), High Speed (480 Mbit/sec), Bulk transfer  
Ethernet(Built in): IEEE802.3ab(1000BASE-T)/IEEE802.3u(100BASE-TX)/IEEE802.3(10BASE-T)  
Wireless LAN: IEEE 802.11 b/g/n

## Power Supply

AC 100–240V (50 – 60 Hz)

## Power Consumption

|                                     | TM-255      | TM-355      |
|-------------------------------------|-------------|-------------|
| Power Consumption (using wired LAN) | Approx 64W  | Approx 69W  |
| Standby (using wired LAN)           | Approx 1.6W | Approx 1.6W |
| Power Off                           | Approx 0.1W | Approx 0.1W |

## Operational Environment

Temperature: 15°-30° C  
Relative Humidity: 10-80%  
(Non Condensation).

## Printer Dimensions

| (W x D x H) and Weight                          | TM-255             | TM-355              |
|-------------------------------------------------|--------------------|---------------------|
| Dimensions with stand basket opened (W x D x H) | 978 x 885 x 1060mm | 1285 x 885 x 1060mm |
| Weight (with Stand)                             | 54.5 kg            | 63.8 kg             |

## Package Dimensions

| (W x D x H) and Weight                             | TM-255              | TM-355                  |
|----------------------------------------------------|---------------------|-------------------------|
| Printer Package Dimensions (W x D x H) with pallet | 1152 x 913 x 679mm  | 1462 x 1122 x 801 mm    |
| Printer Package Weight                             | 73kg                | 113 kg                  |
| Stand Package Dimension                            | 1058 x 826 x 270 mm | Stand is in printer box |
| Stand Package Weight                               | 22kg                | Stand is in printer box |

## Options

|             | TM-255 | TM-355 |
|-------------|--------|--------|
| Roll Holder | RH2-28 | RH2-35 |

## Consumables

Ink Tank PFI-120 C/Y/BK/MBK, PFI-121 M, PFI-320 C/Y/BK/MBK, PFI-321 M,  
Maintenance Cartridge MC-31  
Cutter Blade CT-08

## Scanner

|                           | Z36 MFP                         |
|---------------------------|---------------------------------|
| Max Scan Speed (for scan) | 200dpi grayscale & mono = 13ips |
| Max Scan Speed (for copy) | 200dpi 24-bit colour = 3ips     |
| Maximum Resolution        | 1200dpi                         |
| Scan Accuracy             | +/- 0.1%; +/- 1 pixel           |

## Size and Weight

|                                          | Z36 MFP                         |
|------------------------------------------|---------------------------------|
| Minimum/Maximum Scan Width               | 6"/36"                          |
| Minimum/Maximum Scan Length              | 8cm/8m (JPEG,PDF)/15.24m (TIFF) |
| Minimum/Maximum Media Thickness          | 0.07mm/1.0mm                    |
| Included Software                        | SmartWorks MFP                  |
| Scanner Dimensions (W x D x H)           | 1056 x 251 x 156 mm             |
| Scanner Weight                           | 7.8kg                           |
| Scanner Package Dimension                | 1245 x 375 x 410 mm             |
| Scanner Package Weight (Gross)           | 28.1                            |
| Printer + Scanner Dimensions (W x D x H) | 1612 x 868 x 1276 mm            |

Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.

The scan rate is proportional across the full range of resolutions supported by the scanner. Actual scan times will depend on the host system performance.

Quoted top speeds may be limited by the effective bandwidth of the USB 2 and is not guaranteed for all media types.

The quoted scan accuracy may vary depending on the operating environment and the thickness of the media.

Note: The imagePROGRAF TA Series Lei systems contain multiple components, some of which are manufactured by third parties. To the extent that such third-party offerings come with limited warranties, such limited warranties are hereby passed to the purchaser, and Canon shall have no obligation or any liability with respect to such third-party offerings.