

imagePROGRAF TZ-32000



TZ Series

Canon

KEY FEATURES



THE FASTEST imagePROGRAF

Print an A1 CAD drawing in as little as 14 seconds.

*Fast print mode on plain paper. Print speed does not include time required for data processing, data transfer and preprinting operations.



INTELLIGENT MEDIA HANDLING

With automatic media handling, simply load the media and let your printer do paper feeding, media type and length detection for you. Also TZ-32000 has standard dual roll function. You can have 2 different size of paper or different type of paper.



LUCIA TD PIGMENT INK

Printer comes with 970ml (CYMK 160ml, MBK 330ml) ink tanks in a box. Replacement inks available in 330ml or large capacity 700ml cartridges with the added flexibility of using any combination of cartridge size.



INTEGRATED TOP STACKER

The TZ-32000 has a standard top output stacker "top delivery tray.", which holds up to 100 sheets of plain paper and A0 size output stacked face down in order of output. Face-down design prevents sensitive drawings from being exposed to others.

SOFTWARE

POSTER ARTIST

Creating posters, banners and flyers has never been easier. This intuitively creative web-based software boasts auto-generated design templates, access to millions of stock photos, and intuitive editing – all completely free of charge

DIRECT PRINT PLUS

The Direct Print Plus software allows you to simply drag and drop to process a large number of prints quickly helping you stream line your workflow for on demand printing. In addition, you can set-up desktop shortcuts or shared folders by clicking the Shortcut Print feature with a variety of customised settings, allowing for multiple jobs to be run with ease.

ACCOUNTING MANAGER

Enables efficient printer cost management. Collects printer job history and aggregates costs per print job,-time period, department or user. In addition to the printers can also be centrally managed, plus periodically send information such as the output paper size, paper usage, and ink consumption by email in CSV file format.

Z SCANNER KEY FEATURES

Workflow is effortless and consistent with Canon's integration of the scanner with the TZ-32000 MFP Z36

The 36" lightweight Z36 scanner is positioned on top of the device, providing a compact, all-in-one solution for ease of use.

SmartWorks offers:

- An easy-to-use interface with customisable background and presets
- Scan-to-Multipage PDF as a standard feature
- Ability to mark up documents directly on the monitor
- Real-time preview on the large 15.6" touchscreen



MFP SOLUTION

SmartWorks

The inclusion of a large touch panel monitor unified with the controller enables previewing and scanned image checks on a large screen. The SmartWorks scanning software can also be used to correct skew, adjust brightness, and perform image editing such as trimming.

imagePROGRAF TZ-32000

SPECIFICATIONS

Print Head

PF-06

Number of Nozzles
MBK: 5,120 nozzles,
BK/C/M/Y :2,560 nozzles

Droplet Size
Minimum 5pl per color

Ink Type
Pigment: Cyan (C), Magenta (M), Yellow (Y), Black (BK), Matte Black(MBK)

Ink Tank
Shipped with Printer: MBK(330ml), C, M, Y, BK (160ml each)
Replacement: C, Y, BK, MBK : PFI-340 (330ml), PFI-740(700ml)
Magenta : PFI-341 (330ml), PFI-741(700ml)

Printer RAM 2 GB

Media Feed
Media Feed: Media Feed: 2 Rolls, Front-loading, Front output/Upper output
Cut Sheet: Front-loading, Front Output (manual)

Media Width

Roll Paper	
ISO	A3,A3+,A2,A1,A0,B1
JIS	B4, B3, B2, B1
ARCH	12", 18", 24", 30", 36"
Others	8",10",14",15",16",17",20",22",34", 300mm,500mm,600mm,800mm
Cut Sheet	
ISO	A4, A3, A3+, A2, A2+, B4, B3
DIN	C4, C3
JIS	B4, B3
ANSI	8.5 x 11", 8.5 x 14", 11 x 17", 13 x 19", 17 x 22"
ARCH	9 x 12", 12 x 18", 18 x 24"
Photo	(20 x 24"),(18 x 22"),(14 x 17"), (12 x 16"), (10 x 12"), (10 x 15"), (8 x 10"), (16 x 20")
Others	13x22"

Media Thickness
0.07 – 0.8 mm

Media Core Sizes
2" or 3" Core

Maximum Roll Outer Diameter
175mm or less

Printing Software Utilities
Accounting Manager, Canon Print Service, Device Management Console, Direct Print Plus, Free Layout Plus, imagePROGRAF Printer Driver for Windows®/ Mac®, Media Configuration Tool, Canon PRINT, PosterArtist Web, Quick Utility Toolbox

Operating System
Windows 10, Windows 11, Windows Server 2016, Windows Server 2019, Windows Server 2022, Macintosh v12-14

Print Language
SGRaster, HP-GP/2, HP RTL, PDF, JPEG, CALS G4

Interface
Hi-Speed USB : Full Speed (12 Mbit/sec), High Speed (480 Mbit/sec), Bulk transfer
Ethernet(Built in) : IEEE802.3ab(1000BASE-T)/IEEE802.3u(100BASE-TX)/IEEE802.3(10BASE-T) /IEEE802.1X(EAP-TLS/EAP-TTLS/PEAP)
Wireless LAN : IEEE 802.11 b/g /n

Power Supply
AC 100–240V (50 – 60 Hz)

Power Consumption

Power Consumption	
Power Consumption(using wired LAN)	Approx 111W
Standby(using wired LAN)	Approx 1.6W
Power Off	Approx 0.1W

Operational Environment

Temperature: 15° – 30° C
Relative Humidity: 10-80%
(Non Condensation)

Printer Dimensions (W x D x H) and Weight

Printer Dimensions	
Dimensions (W x D x H), Weight	1548 x 960 x 1189mm (Basket Closed). 206kg

Package Dimensions (W x D x H) and Weight

Package Dimensions	
Printer Package Dimensions (W x D x H) with pallet	1704 x 946 x 1373 mm, 277 kg

Options

Options	
Roll Holder	RH2-34

Consumables

Ink Tank: PFI-340 C/Y/BK/MBK, PFI-341 M, PFI-740 C/Y/BK/MBK, PFI-741 M,
Maintenance Cartridge: MC-30

Scanner

Max Scan Speed(for scan): 200dpi gray scale & mono = 13ips
Max Scan Speed(for copy): 200dpi 24-bit colour = 3ips
Maximum Resolution: 1200dpi
Scan Accuracy: +/- 0.1% : +/- 1 pixel
Minimum/Maximum Scan Width: 6"/36"
Minimum/Maximum Scan Length: 8cm/8m(JPEG,PDF)/15.24m(TIFF)
Minimum/Maximum Media Thickness: 0.07mm/1.0mm
Included Software: SmartWorks MFP

Size and Weight

Scanner Dimensions (W x D x H): 1056 x 251 x 156 mm
Scanner Weight: 7.8kg
Scanner Package Dimension: 1125 x 365 x 415 mmScanner Weight:
Scanner Package Weight(Gross): 20.8kg
Printer + Scanner Dimensions(W x D x H): TZ-32000 Z36 MFP : 1581 x 960 x 1281

Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.

The scan rate is proportional across the full range of resolutions supported by the scanner. Actual scan times will depend on the host system performance.

Quoted top speeds may be limited by the effective bandwidth of the USB 2 and is not guaranteed for all media types.

The quoted scan accuracy may vary depending on the operating environment and the thickness of the media.

Note: The imagePROGRAF TZ Series Z36 MFP systems contain multiple components, some of which are manufactured by third parties. To the extent that such third-party offerings come with limited warranties, such limited warranties are hereby passed to the purchaser, and Canon shall have no obligation or any liability with respect to such third-party offerings.



Canon Australia Pty Ltd
1800 444 199
canon.com.au/business



Canon New Zealand Ltd
0800 222 666
canon.co.nz/business

Canon